

Decorative Water Features



Five-port Base IP68 | Base con Cinco Puertos IP68



Five-port base. IP68 rating for below ground or underwater installation. For reeds, bushes or a combination of the same. Powered with five Cree 1,3W LEDs. On request, DWF can be outfitted with different color LEDs in each port.

Base con cinco puertos. Grado de protección IP68 para instalación sumergida o subterránea. Para juncos, arbustos o una combinación de los mismos. Alimentada por cinco LEDs Cree de 1,3W. Bajo pedido se puede dotar la base con LEDs de diferente color en cada puerto.

SERIES	PRODUCT	LED	VOLTAGE	MATERIAL	DIMENSIONS
DWF110	Five-port base	5 x 1,3W Cree	12V AC	AISI316 stainless	L 300 x W 100 x H 60mm

LED colors: ○ cool white, ○ warm white, ● blue, ● green, ● red, ● yellow. Other colors on request.



Single-port Base IP68 | Base con Un Puerto IP68



Single-port base. IP68 rating for below ground or underwater installation. Powered with a Cree 1,3W LED. For reeds or bushes.

Base con un puerto. Grado de protección IP68 para instalación sumergida o subterránea. Alimentada por un LED Cree de 1,3W. Admite juncos y arbustos.

SERIES	PRODUCT	LED	VOLTAGE	MATERIAL	DIMENSIONS
DWF210	Single-port base	1 x 1,3W Cree	12V AC	AISI316 stainless	L 150 x W 100 x H 60mm

LED colors: ○ cool white, ○ warm white, ● blue, ● green, ● red, ● yellow. Other colors on request.

Reeds | Juncos



Reed with high performance 1mm fibers, 3mm rigidizer and connector in AISI316 stainless steel. Custom sizes available on request.

Junco con fibras ópticas de alto rendimiento. Conector y rigidizador de 3mm, en acero inoxidable AISI 316. Otros tamaños bajo pedido.



CODE	PRODUCT	MATERIAL	DIMENSIONS
DWF151	Fiber optics reed	AISI316 stainless and polymers	L 1800 x W 10mm
DWF152	Fiber optics reed	AISI316 stainless and polymers	L 1600 x W 10mm
DWF153	Fiber optics reed	AISI316 stainless and polymers	L 1400 x W 10mm
DWF154	Fiber optics reed	AISI316 stainless and polymers	L 1200 x W 10mm
DWF155	Fiber optics reed	AISI316 stainless and polymers	L 1000 x W 10mm
DWF156	Fiber optics reed	AISI316 stainless and polymers	L 800 x W 10mm

Bushes | Arbustos



Fiber optics conformable bush with 17 strands and connector in AISI316 stainless steel. Custom sizes available on request.

Arbusto compuesto de 17 fibras ópticas conformables de alto rendimiento. Conector en acero inoxidable AISI316. Otros tamaños bajo pedido.

CODE	PRODUCT	MATERIAL	DIMENSIONS
DWF251	Fiber optics bush	AISI316 stainless and polymers	400mm
DWF252	Fiber optics bush	AISI316 stainless and polymers	600mm
DWF253	Fiber optics bush	AISI316 stainless and polymers	800mm